



# Safety Data Sheet

Page 1 of 10

Version no.: 02

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

## Section 1: Identification of the substance/mixture

Product Name:	HUE.VERSE DEMI-PERMANENT GLOSS
Variants:	1 / 3 / 5 / 7 / 8 / 9 / 4.03 / 6.03 / 8.03 / 7.6 / 8.6 / 9.6 / 10.6 / 4.1 / 6.1 / 8.1 / 9.1 / 10.1 / 4.31 / 6.31 / 7.31 / 9.37 / 10.37 / 5.3 / 7.3 / 9.3 / 6.81 / 8.81 / 9.81 / 4.84 / 6.84 / 8.84 / 9.43 / 10.47 / 6.4 / 8.4 / 7.44 / 5.5 / 7.5 / 6.55 / 5.57 / 4.7 / 6.7 / 9.77 / 10.7
Recommended Use	Hair Colouring Product
Company Details	Evo Labs Pty Ltd
Address	17-21 Commercial St Marleston, South Australia, Australia 5000
Telephone Number	+61 8 8403 8263
Email	<a href="mailto:compliance@evohair.com">compliance@evohair.com</a>
<b>Emergency Telephone Number</b>	Australia Poison Information centre: Phone 13-11-26  New Zealand: National Poison Information centre. Phone 0800-764-766  Global Links to Poison Centres and Clinical Toxicologists all over the World: <a href="http://www.eapcct.org/index.php?page=links">http://www.eapcct.org/index.php?page=links</a>

## Section 2: Hazards Identification

**Classification according to WHS Regulations (Australia)**

### Label Elements

**Pictogram**



GHS07



GHS02



# Safety Data Sheet

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

<b>Signal Word</b>	Warning
<b>Hazard Classification</b>	Flammable Liquids – category 3 Skin sensitisation – category 1 Eye irritation – category 2A
<b>Hazard Statement(s)</b>	H226 (Flammable liquid) H317 (May cause an allergic skin reaction) H319 (Causes serious eye irritation)
<b>Precautionary statement</b>	P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233 Keep container tightly closed. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER / doctor / . . . P332+P313 If skin irritation occurs: Get medical advice / attention.
<b>General Phrases</b>	P102 Keep out of reach of children.

When used following the manufacturer's instructions, the product is considered safe for the environment and humans, within its category, and except for cases of individual hypersensitivity to one or more of the ingredients in the formulation.  
The following information applies in the case of improper use or accident.  
Repeated skin exposure may cause skin rash due to irritation and/or allergic reaction.  
Irritating if swallowed and/or in accidental contact with eyes or mucous membranes in general.  
Excessive inhalation of vapours can irritate the respiratory tract.

## Section 3: Composition/information on ingredients

Ingredients	CAS No.	% (w/w)
AQUA (WATER)	7732-18-5;	10%-30%
ASCORBIC ACID	62624-30-0;50-81-7;	0,3%-1%
BENZYL ALCOHOL	100-51-6;	0%-0,1%
CITRIC ACID	77-92-9;5949-29-1;	0%-0,1%
COCAMIDOPROPYL BETAINE	83138-08-3;70851-07-9;61789-40-0;	0,3%-1%
COCOS NUCIFERA OIL (COCOS NUCIFERA (COCONUT) OIL)	8001-31-8;	1%-3%
COTA TINCTORIA FLOWER/LEAF/STEM EXTRACT	n.d.	0,1%-0,3%



# Safety Data Sheet

Page 3 of 10

Version no.: 02

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

DICAPRYLYL ETHER	629-82-3;	1%-3%
ERYTHORBIC ACID	89-65-6;	0,1%-0,3%
ETHANOLAMINE	141-43-5;	1%-3%
ETIDRONIC ACID	2809-21-4;	0,1%-0,3%
GLYCERIN	56-81-5;	0,3%-1%
HELIANTHUS ANNUUS SEED OIL (HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL)	8001-21-6;	0%-0,1%
ISOPROPYL ALCOHOL	67-63-0;	3%-10%
LAURETH-4	9002-92-0;68439-50-9;5274-68-0;	30%-100%
OLEIC ACID	2027-47-6;112-80-1;	3%-10%
PARFUM (FRAGRANCE)	n.d.	0,1%-0,3%
PERSEA GRATISSIMA OIL (PERSEA GRATISSIMA (AVOCADO) OIL)	8024-32-6;	0%-0,1%
POTASSIUM SORBATE	590-00-1;24634-61-5;	0%-0,1%
PROPANEDIOL	504-63-2;26264-14-2;	10%-30%
SODIUM BENZOATE	532-32-1;	0%-0,1%
SODIUM C14-16 OLEFIN SULFONATE	68439-57-6;	3%-10%
SODIUM SULFITE	7757-83-7;	1%-3%
TETRASODIUM EDTA	64-02-8;	0,1%-0,3%
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	155601-30-2;	0%-0,1%
1-NAPHTHOL	90-15-3;	0%-0,1%
2,4-DIAMINOPHENOXYETHANOL HCL	66422-95-5;	0%-0,1%
2,6-DIHYDROXYETHYLAMINOTOLUENE	149330-25-6;	0,1%-0,3%
2-AMINO-3-HYDROXYPYRIDINE	16867-03-1;	0%-0,1%
2-AMINO-4-HYDROXYETHYLAMINOANISOLE SULFATE	83763-48-8;	0%-0,1%
2-AMINO-6-CHLORO-4-NITROPHENOL	6358-09-4;	0%-0,1%
2-METHYL-5-HYDROXYETHYLAMINOPHENOL	55302-96-0;	0%-0,1%
2-METHYLRESORCINOL	608-25-3;	0%-0,1%
4-AMINO-2-HYDROXYTOLUENE	2835-95-2;	0%-0,1%
4-CHLORORESORCINOL	95-88-5;	0%-0,1%
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCl	94158-14-2;	0%-0,1%
m-AMINOPHENOL	591-27-5;	0%-0,1%
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	58262-44-5;57524-61-5;54381-16-7;	0%-0,1%
p-AMINOPHENOL	123-30-8;	0,3%-1%
PHENYL METHYL PYRAZOLONE	89-25-8;	0%-0,1%
p-METHYLAMINOPHENOL SULFATE	55-55-0;1936-57-8;	0%-0,1%
TOLUENE-2,5-DIAMINE SULFATE	6369-59-1;615-50-9;	0,3%-1%



## Section 4: First Aid Measure

Description of necessary first aid measure

**Swallowed:** in the event of involuntary ingestion of large amounts of product, do not induce vomiting. If required, contact a poison centre, or seek medical advice.

**Eyes:** remove contact lenses, flush eye immediately and accurately with plenty of lukewarm water; if irritation persists, seek medical advice.

**Skin:** wash immediately and accurately with plenty of water. If irritation persists, seek medical advice.

**Inhaled:** in the event of massive inhalation of vapours, take the person outside. If irritation symptoms persist, contact a poison centre, or seek medical advice.

Seek medical advice or phone National Poison Information Centre Australia: Phone 13-11-26 (or) New Zealand: Phone 0800-764766

Global: <http://www.eapcct.org/index.php?page=links>

## Section 5: Fire-Fighting measures

Type of hazard

Flammable.

Extinguishing media & methods

Use powder or CO2 extinguisher for small fires and atomized water or foam for large fires. Cool containers with water.

Protection Equipment for Firefighters

Wear self-contained breathing apparatus and suitable protective clothing.

## Section 6: Accidental Release Measures

Extinguish all open flame in the vicinity; stop the leak, ventilate the area if not dangerous to do so. Clean up the spilled product with a rag and wash the contaminated area with plenty of water. In the case of massive spills, notify the Fire Department.  
Do not use spilled product.



## Personal Protection

Wear self-contained breathing apparatus and suitable protective clothing.

## Section 7: Handling and Storage

### Safe Handling Practices

Carefully follow the instructions and warnings on the package or on enclosed leaflet.

Do not use for any purpose not described in the instructions.

Avoid mixing with other products, similar products or products with substances other than those specified in the instructions.

Never put spilled product back in the original container for reuse.

Avoid product contamination during use.

Keep out of the reach of children.

### Health Warnings

Do not apply if the scalp is damaged, irritated or affected by disease (eczema, psoriasis, etc.).

Since the product can cause an allergic reaction in prone people, it is advisable to perform a preliminary tolerability test, as described below: use alcohol to clean a 1-cm<sup>2</sup> area of skin behind the ear, or on the inside of the forearm; mix approx. 5g of product with approx. 5g of oxidant; with a cotton swab or a small spatula apply a sufficient amount of product to cover the prepared area; repeat the application 2 or 3 times and let dry between applications; cover with a band-aid and wait 48 hours without washing; if the consumer experiences itching or redness during this period, do not apply the product. In any case, it is up to the consumer to decide whether or not to perform the preliminary tolerability test (patch test). Hairdressers must refrain from expressing a conclusive evaluation of the results of the patch test.

Continuous exposure to detergents (soap, shampoo, liquid detergents), for professional reasons, may deplete the hydrolipidic film and horny layer that constitute the skin's natural barrier. The depletion of this barrier could cause skin lesions and exposure to external agents. Under these conditions, handling other products normally used during



professional activities without proper precautions may cause intolerance that, in the long-term, could lead to serious irritation and allergies.

**Safe Store site requirements** Store in a dry, well-ventilated area (at room temperature). Do not store or use the product near open flame, sources of heat, operating electrical equipment or in direct sunlight. Do not store the product at a temperature lower than 5 °C or above 30 °C. Close container tightly after use.

## Section 8: Exposure Control/Personal Protection

### Exposure Controls

#### **Appropriate Engineering Controls:**

EU requirements: The working environment must be adequately ventilated, if necessary, via mechanical ventilation systems (Title II, Legislative Decree no. 81/2008 and subsequent amendments and addenda). Areas where emissions of vapours, gases, dusts or spills of substances may

occur must be separated and equipped with local extraction or collection systems (Annex IV, Point 2, Legislative Decree no. 81/08 and subsequent amendments and addenda).

Whenever the Employer identifies risks that cannot be avoided or sufficiently reduced through other means, it is required to provide employees with adequate Personal Protective Equipment (PPE) (Articles 75 and 77, Legislative Decree no. 81/2008 and subsequent amendments and addenda).

Australia & NZ: General ventilation should be adequate for normal use. For operations where the exposure limits may be exceeded, forced ventilation such as local exhaust may be needed to maintain exposures below applicable limits.

#### **Personal Protective Equipment (PPE):**

EU requirements: PPE must be compliant with the provisions of Legislative Decree no. 475/92 and subsequent amendments and addenda (Article 76, Legislative Decree no. 81/08 and subsequent amendments and addenda). The use of PPE provided by the Employer is mandatory (Article 20, Paragraph 2, and Article 78, Legislative Decree no. 81/08 and subsequent amendments and addenda).

In the specific case:

- wear disposable plastic gloves during all phases of product application, handling and final rinse.
- use carefully cleaned working tools.
- avoid tools containing nickel.



# Safety Data Sheet

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

- do not wear costume jewellery.

Australia & NZ: Wear safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment.

### Hygiene measures:

Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety. Use proper protective equipment when involved with bulk processing.

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking.

## Section 9: Physical and Chemical Properties

Appearance	Liquid
Odour	Characteristic
Flash Point	+30°C ± 5°C
Flammability	Flammable

## Section 10: Stability and Reactivity

Stability of the substance	Product stable at ordinary temperatures and under the indicated storage conditions.
----------------------------	---

## Section 11: Toxicological Information

Oral Toxicity	Irritating if swallowed
Skin Irritation	Repeated skin exposure may cause skin rash due to irritation and/or allergic reaction.
Toxicity Inhalation	Excessive inhalation of vapours/powder can irritate the respiratory tract.
Eye Irritation	Irritating if accidental contact with eyes or mucous membranes in general



# Safety Data Sheet

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

Other Toxicity Information EU: The need to subject workers to a health-monitoring programme (pre-hire and periodic medical examinations) must be evaluated by the doctor in charge based on the Risk Assessment Document and specific knowledge of the risk situation (Chapter III, Section IV, Legislative Decree no. 81/08 and subsequent amendments and addenda). Workers are obligated to submit to the health monitoring programme required by the doctor in charge (Article 20, Legislative Decree no. 81/08 and subsequent amendments and addenda).

## Section 12: Eco-toxicity Information

Eco Toxicity No information available for finished product.

Persistence and Degradability No information available.

Bioaccumulation No information available

Soil Mobility No information available

Other Adverse Effects No information available. Avoid contaminating waterways

## Section 13: Disposal Considerations

Disposal information No specific requirements for consumer/end users  
Bulk or quantity may be disposed of in a lined landfill in accordance with local regulations and according to normal commercial disposal procedures

Relevant information Packaging should be recycled after residual emptying

## Section 14: Transport Information

### Classification for road transport

UN Number: 1993  
Proper Shipping Name: Flammable Liquid N.O.S. (Isopropanol, Alcohols, C12-C14, Ethoxylates)





# Safety Data Sheet

Page 9 of 10

Version no.: 02

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

Hazard Class: 3  
Packing group: III

## Classification for sea transport

UN Number: 1993  
Proper Shipping Name: Flammable Liquid N.O.S. (Isopropanol, Alcohols, C12-C14, Ethoxylates)  
Hazard Class: 3  
Packing group: III

## Classification for air transport

UN Number: 1993  
Proper Shipping Name: Flammable Liquid N.O.S. (Isopropanol, Alcohols, C12-C14, Ethoxylates)  
Hazard Class: 3  
Packing group: III

## Section 15: Regulatory Information

### Regulatory Status

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

Finished cosmetic products are manufactured and sold in compliance with Regulation (EC) no. 1223/2009 on cosmetic products.

Finished cosmetic products are specifically excluded from the field of application of Community laws on hazardous substances and mixtures (Regulation (EC) no. 1272/2008).

## Section 16: Other Information

Additional Information Refer to conditions of use and any warnings on the product or packaging.

### Disclaimer:

The information continued herein is based on the manufacturers own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information



# Safety Data Sheet

Page 10 of 10

Version no.: 02

Date: February 2021

Date of revision: 18/02/2021

Product name: HUE.VERSE DEMI-PERMANENT GLOSS

---

contained herein, and neither the provider nor the manufacturer are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in the SDS, or in any other way related (directly or indirectly) to this SDS. The information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of document