



Safety Data Sheet

Page 1 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Section 1: Identification of the substance/mixture

Product Name:	HUE.VERSE PERMANENT COLOUR
Variants:	1 / 3 / 4 / 5 / 6 / 7 / 8 / 9 / 10 / 4+ / 5+ / 6+ / 7+ / 8+ / 9+ / 4.03 / 5.03 / 6.03 / 7.03 / 8.03 / 9.03 / 7.6 / 8.6 / 9.6 / 10.6 / 2.11 / 4.1 / 6.1 / 7.1 / 8.1 / 9.1 / 10.1 / 3.31 / 5.31 / 7.31 / 9.37 / 10.37 / 5.3 / 6.3 / 7.3 / 8.3 / 9.3 / 10.3 / 4.81 / 6.81 / 7.81 / 9.81 / 10.81 / 4.84 / 6.84 / 7.84 / 8.84 / 6.34 / 7.43 / 8.34 / 9.47 / 10.43 / 5.4 / 6.4 / 7.4 / 8.4 / 7.44 / 8.44 / 4.5 / 5.5 / 6.5 / 5.55 / 7.55 / 4.57 / 5.57 / 6.57 / 4.7 / 6.7 / 9.77 / Intense Red / Intense Copper / Intense Violet / Intense Gold / Intense Blue / Silver / Anti-Red / Clear Lifter / 12.0 / 12.1 / 12.7
Recommended Use	Hair Colouring Product
Company Details	Evo Labs Pty Ltd
Address	17-21 Commercial St Marleston, South Australia, Australia 5000
Telephone Number	+61 8 8403 8263
Email	compliance@evohair.com
Emergency Telephone Number	Australia Poison Information centre: Phone 13-11-26 New Zealand: National Poison Information centre. Phone 0800-764-766 Global Links to Poison Centres and Clinical Toxicologists all over the World: http://www.eapcct.org/index.php?page=links

Section 2: Hazards Identification

Classification according to WHS Regulations (Australia)

Label Elements



Safety Data Sheet

Page 2 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Pictogram



GHS07



GHS05



GHS09



GHS08

Signal Word

Danger

Hazard Classification

Acute toxicity – Oral - category 4
Skin sensitisation – category 1
Eye irritation – category 2A
Eye damage – category 1
Specific target organ toxicity (repeated exposure) – category 2
Germ cell mutagenicity – category 2
Skin corrosion – category 1B
Hazardous to the aquatic environment (acute) – category 2
Hazardous to the aquatic environment (chronic) – category 2

Hazard Statement(s)

H302 (Harmful if swallowed)
H317 (May cause an allergic skin reaction)
H319 (Causes serious eye irritation)
H318 (Causes serious eye damage)
H373 (May cause damage to organs through prolonged or repeated exposure if swallowed)
H341 (Suspected of causing genetic defects)
H314 (Causes severe skin burns and eye damage)
H411 (Toxic to aquatic life with long-lasting effects)

Precautionary statement(s)

P102 Keep out of reach of children
P103 Read label before use
P260 Do not breathe dust, fume, gas, mist, vapours or spray
P264 Wash hands, face and all exposed skin thoroughly after handling
P270 Do not eat, drink or smoke when using this product
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment
P280 Wear protective clothing, gloves, eye/face protection and suitable respirator



Safety Data Sheet

Page 3 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Response Statement(s) P101 If medical advice is needed, have product container or label at hand.
P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P330 Rinse mouth.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.

Poisons Schedule (Aust) 5

New Zealand Classification This material is hazardous according to criteria of New Zealand EPA.
EPA Group Standard: Cosmetic Products Group Standard 2017, HSR002552

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous by Road & Rail (ADG Code)

Class: 8 Corrosive

When used following the manufacturer's instructions, the product is considered safe for the environment and humans, within its category, and except for cases of individual hypersensitivity to one or more of the ingredients in the formulation.
The following information applies in the case of improper use or accident.
Repeated skin exposure may cause skin rash due to irritation and/or allergic reaction.
Irritating if swallowed and/or in accidental contact with eyes or mucous membranes in general.
Excessive inhalation of vapours can irritate the respiratory tract.

Section 3: Composition/information on ingredients

Ingredients	CAS No.	% (w/w)
AQUA (WATER)	7732-18-5;	30%-100%
BETAINE	107-43-7;	3%-10%
CETEARYL ALCOHOL	8005-44-5;67762-27-0;	3%-10%



Safety Data Sheet

Page 4 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

ETHANOLAMINE	141-43-5;	3%-10%
LAURETH-3	9002-92-0;68439-50-9;3055-94-5;	3%-10%
POLYSORBATE 60	9005-67-8;	3%-10%
PROPANEDIOL	504-63-2;26264-14-2;	3%-10%
RICINUS COMMUNIS SEED OIL (RICINUS COMMUNIS (CASTOR) SEED OIL)	8001-79-4;	3%-10%
SODIUM C14-16 OLEFIN SULFONATE	68439-57-6;	3%-10%
TOLUENE-2,5-DIAMINE SULFATE	6369-59-1;615-50-9;	3%-10%
COCAMIDOPROPYL BETAINE	83138-08-3;70851-07-9;61789-40-0;	1%-3%
COCOS NUCIFERA OIL (COCOS NUCIFERA (COCONUT) OIL)	8001-31-8;	1%-3%
GLYCERYL ISOSTEARATE	66085-00-5;61332-02-3;32057-14-0;	1%-3%
GLYCERYL STEARATE SE	85666-92-8;11099-07-3;	1%-3%
HYDROGENATED CASTOR OIL	8001-78-3;	1%-3%
OLEIC ACID	2027-47-6;112-80-1;	1%-3%
OLETH-4 PHOSPHATE	39464-69-2;	1%-3%
SORBITAN OLEATE	37318-79-9;1338-43-8;	1%-3%
SORBITAN STEARATE	56451-84-4;5093-91-4;1338-41-6;	1%-3%
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	155601-30-2;	1%-3%
2-METHYLRESORCINOL	608-25-3;	1%-3%
4-AMINO-2-HYDROXYTOLUENE	2835-95-2;	1%-3%
4-CHLORORESORCINOL	95-88-5;	1%-3%
m-AMINOPHENOL	591-27-5;	1%-3%
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	58262-44-5;57524-61-5;54381-16-7;	1%-3%
p-AMINOPHENOL	123-30-8;	1%-3%
CETARETH-20	68439-49-6;	0,3%-1%
GLYCERIN	56-81-5;	0,3%-1%
OLEYL PHOSPHATE	37310-83-1;	0,3%-1%
PARFUM (FRAGRANCE)	n.d.	0,3%-1%
SODIUM HYDROSULFITE	7775-14-6;7631-94-9;	0,3%-1%
SODIUM SULFITE	7757-83-7;	0,3%-1%
TETRASODIUM EDTA	64-02-8;	0,3%-1%
2,4-DIAMINOPHENOXETHANOL HCL	66422-95-5;	0,3%-1%
2,6-DIMETHOXY-3,5-PYRIDINEDIAMINE HCl	56216-28-5;	0,3%-1%
2-AMINO-3-HYDROXYPYRIDINE	16867-03-1;	0,3%-1%
2-AMINO-4-HYDROXYETHYLAMINOANISOLE SULFATE	83763-48-8;	0,3%-1%
2-METHYL-5-HYDROXYETHYLAMINOPHEHOL	55302-96-0;	0,3%-1%
BASIC RED 51	77061-58-6;	0,3%-1%
HC YELLOW NO. 2	4926-55-0;	0,3%-1%
PHENYL METHYL PYRAZOLONE	89-25-8;	0,3%-1%
ACRYLATES/STEARETH-20 ITACONATE COPOLYMER	n.d.	0,1%-0,3%
COPERNICIA CERIFERA CERA (COPERNICIA CERIFERA (CARNAUBA) WAX)	8015-86-9;	0,1%-0,3%



Safety Data Sheet

Page 5 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

COTA TINCTORIA FLOWER/LEAF/STEM EXTRACT	n.d.	0,1%-0,3%
ERYTHORBIC ACID	89-65-6;	0,1%-0,3%
ETIDRONIC ACID	2809-21-4;	0,1%-0,3%
HELIANTHUS ANNUUS SEED OIL (HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL)	8001-21-6;	0,1%-0,3%
PERSEA GRATISSIMA OIL (PERSEA GRATISSIMA (AVOCADO) OIL)	8024-32-6;	0,1%-0,3%
1-NAPHTHOL	90-15-3;	0,1%-0,3%
BASIC ORANGE 31	97404-02-9;	0,1%-0,3%
BASIC YELLOW 87	68259-00-7;	0,1%-0,3%
p-METHYLAMINOPHENOL SULFATE	55-55-0;1936-57-8;	0,1%-0,3%
BENZYL ALCOHOL	100-51-6;	0%-0,1%
CITRIC ACID	77-92-9;5949-29-1;	0%-0,1%
PALMITIC ACID	57-10-3;	0%-0,1%
POTASSIUM SORBATE	590-00-1;24634-61-5;	0%-0,1%
SODIUM BENZOATE	532-32-1;	0%-0,1%
STEARIC ACID	57-11-4;	0%-0,1%
TOCOPHERYL ACETATE	7695-91-2;58-95-7;52225-20-4;	0%-0,1%
1,5-NAPHTHALENEDIOL	83-56-7;	0%-0,1%
2,6-DIAMINOPYRIDINE	141-86-6;	0%-0,1%
2-AMINO-6-CHLORO-4-NITROPHENOL	6358-09-4;	0%-0,1%
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCl	94158-14-2;	0%-0,1%

Section 4: First Aid Measure

Description of necessary first aid measure

Swallowed: in the event of involuntary ingestion of large amounts of product, do not induce vomiting. If required, contact a poison centre, or seek medical advice.

Eyes: remove contact lenses, flush eye immediately and accurately with plenty of lukewarm water; if irritation persists, seek medical advice.

Skin: wash immediately and accurately with plenty of water. If irritation persists, seek medical advice.

Inhaled: in the event of massive inhalation of vapours, take the person outside. If irritation symptoms persist, contact a poison centre, or seek medical advice.

Seek medical advice or phone National Poison Information Centre Australia: Phone 13-11-26 (or) New Zealand: Phone 0800-764766

Global: <http://www.eapcct.org/index.php?page=links>



Safety Data Sheet

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Section 5: Fire-Fighting measures

Type of hazard	Non-Flammable.
Extinguishing media & methods	Use atomized water, chemical powder, or carbon dioxide.
Protection Equipment for Firefighters	Wear self-contained breathing apparatus and suitable protective clothing.

Section 6: Accidental Release Measures

Collect the spilled product using cleaning cloths or sand and sawdust where possible and put into suitable containers for disposal according to the law. Wash the contaminated area with plenty of water. Never put spilled product back in the original container. Do not use spilled product.

Personal Protection	Wear suitable protective clothing.
---------------------	------------------------------------

Section 7: Handling and Storage

Safe Handling Practices	Carefully follow the instructions and warnings on the package or on enclosed leaflet. Do not use for any purpose not described in the instructions. Avoid mixing with other products, similar products or products with substances other than those specified in the instructions. Never put spilled product back in the original container for reuse. Avoid product contamination during use. Keep out of the reach of children.
Health Warnings	Do not apply if the scalp is damaged, irritated or affected by disease (eczema, psoriasis, etc.). Since the product can cause an allergic reaction in prone people, it is advisable to perform a preliminary tolerability test,



as described below: use alcohol to clean a 1-cm² area of skin behind the ear, or on the inside of the forearm; mix approx. 5g of product with approx. 5g of oxidant (Part II); with a cotton swab or a small spatula apply a sufficient amount of product to cover the prepared area; repeat the application 2 or 3 times and let dry between applications; cover with a band-aid and wait 48 hours without washing; if the consumer experiences itching or redness during this period, do not apply the product. In any case, it is up to the consumer to decide whether or not to perform the preliminary tolerability test (patch test). Hairdressers must refrain from expressing a conclusive evaluation of the results of the patch test.

Continuous exposure to detergents (soap, shampoo, liquid detergents), for professional reasons, may deplete the hydrolipidic film and horny layer that constitute the skin's natural barrier. The depletion of this barrier could cause skin lesions and exposure to external agents. Under these conditions, handling other products normally used during professional activities without proper precautions may cause intolerance that, in the long-term, could lead to serious irritation and allergies.

Safe Store site requirements	Store in a dry, well-ventilated area (at room temperature). Do not store or use the product near open flame, sources of heat, operating electrical equipment or in direct sunlight. Do not store the product at a temperature lower than 5 °C or above 30 °C. Close container tightly after use.
------------------------------	--

Section 8: Exposure Control/Personal Protection

Exposure Controls

Appropriate Engineering Controls:

EU requirements: The working environment must be adequately ventilated, if necessary, via mechanical ventilation systems (Title II, Legislative Decree no. 81/2008 and subsequent amendments and addenda). Areas where emissions of vapours, gases, dusts or spills of substances may occur must be separated and equipped with local extraction or collection systems (Annex IV, Point 2, Legislative Decree no. 81/08 and subsequent amendments and addenda).

Whenever the Employer identifies risks that cannot be avoided or sufficiently reduced through other means, it is required to provide employees with adequate Personal Protective Equipment (PPE) (Articles 75 and 77, Legislative Decree no. 81/2008 and subsequent



Safety Data Sheet

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

amendments and addenda).

Australia & NZ: General ventilation should be adequate for normal use. For operations where the exposure limits may be exceeded, forced ventilation such as local exhaust may be needed to maintain exposures below applicable limits.

Personal Protective Equipment (PPE):

EU requirements: PPE must be compliant with the provisions of Legislative Decree no. 475/92 and subsequent amendments and addenda (Article 76, Legislative Decree no. 81/08 and subsequent amendments and addenda). The use of PPE provided by the Employer is mandatory (Article 20, Paragraph 2, and Article 78, Legislative Decree no. 81/08 and subsequent amendments and addenda).

In the specific case:

- wear disposable plastic gloves during all phases of product application, handling and final rinse.
- use carefully cleaned working tools.
- avoid tools containing nickel.
- do not wear costume jewellery.

Australia & NZ: Wear safety glasses and impervious gloves. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment.

Hygiene measures:

Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety. Use proper protective equipment when involved with bulk processing.

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke.

Wash hands prior to eating, drinking or smoking.

Section 9: Physical and Chemical Properties

Appearance

Cream

Odour

Characteristic

Section 10: Stability and Reactivity



Safety Data Sheet

Page 9 of 11

Version no.: 01

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Stability of the substance	Product stable at ordinary temperatures and under the indicated storage conditions.
----------------------------	---

Section 11: Toxicological Information

Oral Toxicity	Harmful if swallowed
Skin Irritation	Repeated skin exposure may cause skin rash due to irritation and/or allergic reaction.
Toxicity Inhalation	Excessive inhalation of vapours/powder can irritate the respiratory tract.
Eye Irritation	Risk of serious damage to eyes
Other Toxicity Information	EU: The need to subject workers to a health-monitoring programme (pre-hire and periodic medical examinations) must be evaluated by the doctor in charge based on the Risk Assessment Document and specific knowledge of the risk situation (Chapter III, Section IV, Legislative Decree no. 81/08 and subsequent amendments and addenda). Workers are obligated to submit to the health monitoring programme required by the doctor in charge (Article 20, Legislative Decree no. 81/08 and subsequent amendments and addenda).

Section 12: Eco-toxicity Information

Eco Toxicity	No information available for finished product.
Persistence and Degradability	No information available.
Bioaccumulation	No information available
Soil Mobility	No information available
Other Adverse Effects	No information available. Avoid contaminating waterways



Section 13: Disposal Considerations

Disposal information	No specific requirements for consumer/end users Bulk or quantity may be disposed of in a lined landfill in accordance with local regulations and according to normal commercial disposal procedures
Relevant information	Packaging should be recycled after residual emptying

Section 14: Transport Information

Classification for road transport

UN Number:	3267
Proper Shipping Name:	Corrosive Liquid, Basic, Organic, N.O.S. (2-Aminoethanol, Alcohols, C12-C14, Ethoxylates)
Hazard Class:	8
Packing group:	III

Classification for sea transport

UN Number:	3267
Proper Shipping Name:	Corrosive Liquid, Basic, Organic, N.O.S. (2-Aminoethanol, Alcohols, C12-C14, Ethoxylates)
Hazard Class:	8
Packing group:	III

Classification for air transport

UN Number:	3267
Proper Shipping Name:	Corrosive Liquid, Basic, Organic, N.O.S. (2-Aminoethanol, Alcohols, C12-C14, Ethoxylates)
Hazard Class:	8
Packing group:	III

Section 15: Regulatory Information

Regulatory Status

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia



Safety Data Sheet

Date: December 2019

Date of revision: 18/02/2021

Product name: HUE.VERSE PERMANENT COLOUR

Finished cosmetic products are manufactured and sold in compliance with Regulation (EC) no. 1223/2009 on cosmetic products.

Finished cosmetic products are specifically excluded from the field of application of Community laws on hazardous substances and mixtures (Regulation (EC) no. 1272/2008).

Poisons Schedule (Aust) 5

Section 16: Other Information

Additional Information

Refer to conditions of use and any warnings on the product or packaging.

Disclaimer:

The information continued herein is based on the manufacturers own study and the work of others, implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in the SDS, or in any other way related (directly or indirectly) to this SDS. The information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any other process.

End of document